



McGill

School of Computer Science

## Replication in Multi-tier Architectures


Bettina Kemme  
McGill University  
Montreal, Canada

May 2008, UPM

1

## What is a client/server system?

- ❑ From Client perspective, there is one server
- ❑ Server provides service that can be called




May 2008, UPM

2

## Multi-tier Architecture

- Server itself consists actually of several servers or components
  - ❖ each has different functionality




May 2008, UPM

3

## Multi-tier Architecture (contd)

- Front tier: browser, application programs, web-service clients
- Middle-tier
  - ❖ Web server (WS): presentation logic
  - ❖ Application Server (AS): business logic
- Backend tier (database): persistent data



May 2008, UPM

4


## Multi-tier Architecture (contd.)

- ❑ Used widely in most enterprise applications.
- ❑ Central role for Web applications, especially for e-commerce.
- ❑ WS / Application Server
  - ❖ Most common framework:
    - J2EE 1.4 --> Java EE 5 platform
  - ❖ <http://www.theserverside.com> compares 34 AS products
    - 22 have J2EE license => Java EE
    - big players: BEA WebLogic, IBM WebSphere and many others
    - open source: Jboss, JOnAs
  - ❖ differentiation:
    - scalability, high availability, ease of use, application integration, extensions
  - ❖ Application server markets are expected to reach \$5.2 billion by 2009 (<http://www.researchandmarkets.com/reports/c7868/>)
- ❑ Database:
  - ❖ Well established for a long time
  - ❖ Few big players: Oracle, IBM, Microsoft SQL Server, PostgreSQL, MySQL

May 2008, UPM

5

## Problem




- ❑ Component can become
  - ❖ bottleneck
  - ❖ single point of failure

May 2008, UPM

6

# Clusters

- ❑ replicate component
  - ❖ process and/or data




- ❑ distribute load over replicated components in cluster
- ❑ in case of crash, failover clients to other replica

May 2008, UPM

7

# Added Complexity





May 2008, UPM

8

## Challenges


### Replica control: keep data copies consistent

- ❑ Many physical copies should appear as one logical copy
  - ❖ Distribution / replication transparent
  - ❖ Same semantics as non-replicated system
- ❑ Failure handling
  - ❖ **exactly once** execution
    - (changes appropriate data at the different tiers)
  - ❖ Transparent Failover
- ❑ Online Reconfiguration
  - ❖ New replicas need data
- ❑ Load-Balancing and Provisioning
- ❑ Cooperation between tiers



9

## WS replication




May 2008, UPM


10

## Replication of the WS

- Service and static web-pages replicated
  - ❖ scalability and fault-tolerance easily achieved
  - ❖ load distribution mechanisms:
    - Stateless: round robin, random...
    - Stateful:
      - o send next request to the least loaded server most of the time
      - o Cluster request types to exploit cache at web-server
    - Sessions



## Replication of the AS tier



## Data Replication

- ❑ From user perspective there is one logical copy of each data item
- ❑ Users submit operations against logical copies
- ❑ these operations must be translated into operations against one, some, or all physical copies
- ❑ Nearly all existing approaches follow a ROWA(A) approach:
  - ❖ Read-one-write-all-(available)
  - ❖ Update has to be (eventually) executed at all replicas to keep them consistent
  - ❖ Read can be performed at one replica

May 2008, UPM

13


## Data Consistency

- ❑ Strong consistency
  - ❖ All available copies of an object have the same value at the end of the execution of an update request
  - ❖ Clients always read latest versions of data
  - ❖ High overhead
  - ❖ Tricky if crashes and network partitions
- ❑ weak consistency
  - ❖ temporal divergence allowed
  - ❖ *eventual consistency*
    - if update activity ceases, then all copies of a data item converge eventually to the same value
  - ❖ Clients might read stale data

May 2008, UPM

14

## 5-phase request execution



**Figure 1. Functional model with the five phases**

May 2008, UPM

15


## Object Replication: Fault-tolerance

- ❑ A large body of research
- ❑ implemented in distributed computing environments
  - ❖ CORBA developed a standard
    - FT CORBA = Fault-tolerant CORBA
  - ❖ similar models for J2EE distributed computing environment
- ❑ Often assumes the use of a group communication system
  - ❖ multicast
  - ❖ group maintenance, failure detection
  - ❖ virtual synchrony synchronizes multicast and group changes
- ❑ Correctness
  - ❖ Replicated System should behave as non-replicated system that has no failures
  - ❖ Each request has exactly one "successful" execution
  - ❖ Client receives exactly one response (failure transparency)
  - ❖ **strong data consistency:** data copies are consistent at the end of request execution
- ❑ passive (primary backup) replication vs. active replication

May 2008, UPM

16

## Passive Replication




May 2008, UPM

17

## Passive Replication Failures

- ❑ Before Update Propagation
  - ❖ reexecute on new primary




May 2008, UPM

18

## Passive Replication Failures

- ❑ After Update Propagation: return result immediately




- ❑ GCS and virtual synchrony guarantees
  - ❖ all or none of the backups have state changes
  - ❖ all have same view of who is primary/backup
- ❑ Avoiding wrong reexecution
  - ❖ request must have unique ids
  - ❖ primary must send response with state changes
  - ❖ backups must keep responses

May 2008, UPM

19

## Passive Replication




1. The client sends the request to the primary.
2. There is no initial coordination.
3. The primary executes the request.
4. The primary coordinates with the other replicas by sending the update information to the backups.
5. The primary sends the answer to the client.

May 2008, UPM

20

# Active Replication




- ❑ Total order multicast
- ❑ System only tolerates crash Failures
  - ❖ client stub returns to client first response it receives; discards others
- ❑ System tolerates Byzantine Failures
  - ❖ client stub waits for all responses; returns to clients response that was received by more than half of server replicas

May 2008, UPM

21

# Active Replication




1. The client multicasts request to the servers with total order
2. Server coordination is given by the total order property
3. All replicas execute the request in the order they are delivered.
4. No coordination necessary (Assumption: determinism)
  - ❑ All replicas produce the same result
5. All replicas send result to the client; client waits for the first answer

May 2008, UPM

22



# AS Failures



May 2008, UPM

25


# Correctness

- ❑ Replicated System should behave as non-replicated system that has no failures
- ❑ Each request has exactly one successful "execution"
  - ❖ Client receives exactly one response (failure transparency)
  - ❖ Execution represents possible execution in a non-replicated system without failure in regard to
    - Response returned to client
    - State at AS and DBS

May 2008, UPM

26


# 1-1 Pattern



May 2008, UPM

27


# 1-1 Algorithm



May 2008, UPM

28


# Failure Cases



May 2008, UPM

29

# 1-1 Algorithm (II)



May 2008, UPM

30


# Transaction Patterns

## □ Relationship between client requests and server side transactions

- ❖ Basic transaction pattern:
  - 1 client request is 1 transaction
- ❖ Advanced transaction patterns
  - 1 transaction spans more than one client request
  - 1 client request leads to more than one transaction
  - ...

**Practical Applications:  
Advanced Patterns are widely used**

# 1-N Pattern




## Further Issues

- ❑ Transaction Patterns
  - ❖ 1-N: 1 client request triggers several nested transactions
  - ❖ N-1: several client requests build one transaction
  - ❖ N-N pattern
  - ❖ Access more than one database
    - Combine replication with 2PC
- ❑ Reaction of AS on failures of other tiers
  - ❖ Client / DBS
- ❑ Recovery
  - ❖ Failed or new replicas rejoin as backups
  - ❖ Receive necessary backup information
- ❑ When to install changes at backup
  - ❖ Immediately when received
  - ❖ Only upon failover

May 2008, UPM

33


## Scalability and Fault-tolerance




May 2008, UPM

34


# Scalability and Fault-tolerance



# Scalability and Fault-tolerance




## Client assignment



## Implementation into JBoss 3.2.3

- Interceptor-based framework allows for plug-in of algorithms at client and server



## Performance Evaluation based on Modified ECperf benchmark


- ❑ Comparison:
  - ❖ Non-replicated JBoss
  - ❖ JBoss + our algorithm (Replicated JBoss)
  - ❖ JBoss' clustering (does not provide transactional exactly-once semantics)
  
- ❑ Sun ECPerf benchmark
  - ❖ Ordering/ manufacturing / supply-chain application

May 2008, UPM

39

## ECperf Response Time: 1-1 algorithm


- ❑ Without load-balancing: 1 primary, 1 backup




May 2008, UPM

40

## With load-balancing three replicas




## Scalability



42


# Failure



May 2008, UPM

43

# Recovery



May 2008, UPM

44

## Commercial AS replication

- ❑ Nearly all AS servers provide cluster support
  - ❖ Often lazy propagation
  - ❖ Several use logging instead of replication
  - ❖ Behavior often not well-defined
    - Often not correct transactional exactly-once execution
  - ❖ No advanced patterns

May 2008, UPM

45

## Other Research on AS replication

- ❖ Stateless / 1-1:
  - FRØLUND, S. AND GUERRAOUI, R. 2002. E-transactions: end-to-end reliability for three-tier architectures. *IEEE Transactions on Software Engineering (TSE)* 28, 4.
- ❖ Corba / 1-1:
  - ZHAO, W., MOSER, L. E., AND MELLIAR-SMITH, P. M. 2002. Unification of replication and transaction processing in three-tier architectures. In *Int. Conf. on Distributed Computing Systems (ICDCS)*.
  - FELBER, P. AND NARASIMHAN, P. 2002. Reconciling replication and transactions for the end-to-end reliability of CORBA applications. In *Int. Symp. on Distributed Objects and Applications (DOA)*.
- ❖ .Net / 1-1,1-N:
  - BARGA, R., CHEN, S., AND LOMET, D. 2004. Improving logging and recovery performance in Phoenix/App. In *Int. Conf. on Data Engineering (ICDE)*.

May 2008, UPM


46

## Other Research

### □ Multi-tier Replication


- ❖ FRØLUND, S. AND GUERRAOUI, R. 2000b. X-ability: a theory of replication. In Symp. on Princ. of Distrib. Comp. (PODC).
- ❖ DEKEL, E. AND GOFT, G. 2004. ITRA: inter-tier relationship architecture for end-to-end QoS. The Journal of Supercomputing 28.

## Replication of the DBS tier



## Replica Control

- ❖ Keep copies consistent: **replica control**
- ❖ 1-copy-serializability
- ❖ Difference to AS Replication



May 2008, UPM

49

## Data Consistency

- ❑ Strong consistency
  - ❖ All available copies of an object have the same value at the end of the execution of an update request
  - ❖ Clients always read latest versions of data
  - ❖ High overhead
  - ❖ Tricky if crashes and network partitions
- ❑ weak consistency
  - ❖ temporal divergence allowed
  - ❖ *eventual consistency*
    - if update activity ceases, then all copies of a data item converge eventually to the same value
  - ❖ Clients might read stale or inconsistent data

May 2008, UPM

50

## Correctness



- (Replicated) Data is accessed within the boundaries of transactions with ACID properties
  - ❖ A transaction is a sequence of read and write operations
  - ❖ ROWA: read one - write all
- Global serializability:
  - ❖ The execution of transactions over the physical copies  $D_i$  of the replicated system is equivalent to a serial execution over the logical single-copy database  $D$ .
- Data consistency vs. 1CSR
  - ❖ A system can provide both strong consistency and global serializability
  - ❖ A system can provide weak consistency and global serializability
  - ❖ A system can provide strong consistency but no serializability
  - ❖ A system can provide provide only weak consistency and no serializability

May 2008, UPM

51

## Where can updates be submitted?

- Update Anywhere:
  - ❖ Update transactions can be submitted to any site
  - ❖ Site forwards updates to other sites
- Primary Copy:
  - ❖ Update transactions can only execute at the primary copy (master)
  - ❖ Primary forwards updates to secondaries




May 2008, UPM

52

## When to propagate

- Eager:
  - ❖ within the boundaries of the transaction
  - ❖ Transactions terminate usually with 2PC




May 2008, UPM

53

## When to propagate

- Lazy:
  - ❖ after the commit of the transaction



May 2008, UPM

54

## Basic Eager / Primary Copy

- **Primary copy:**
  - ❖ Upon read: get local lock, read locally and return to user
  - ❖ Upon write: get local lock, write locally, multicast write to other replicas in FIFO order; return to user immediately
  - ❖ Upon commit request: run 2PC (coordinator) to ensure that all have really installed the changes.
  - ❖ Upon abort: abort and inform other sites about abort
- **Secondary copy:**
  - ❖ Upon read: get local lock, read locally
  - ❖ Upon write from primary copy: get locks in FIFO order and execute conflicting writes in FIFO order
  - ❖ Upon write from client: refuse (writing clients must submit to primary copy)
  - ❖ Upon commit request from read-only: commit locally
  - ❖ Participant of 2PC for update transaction running on primary
- **In case of deadlocks:**
  - ❖ Secondary copies should abort the reading transaction

May 2008, UPM

55

## Properties


- **No replication transparency**
  - ❖ update transactions must be submitted to specific primary
  - ❖ How to achieve transparency?
- **Global serializability and strong data consistency**
- **Reduce message overhead by sending all write operations (write set) within vote request message of 2PC**
- **Widely used for fault-tolerance**
  - ❖ e.g. DB2 high availability solution
  - ❖ conceptually very similar to passive replication for object replication
- **Multiple primary copies**
  - each object can have primary copy on different server
  - What happens with a transaction that updates x and y, and x and y have their primary copies on different servers?

May 2008, UPM


56

## Eager Primary Copy

- Update propagation after each update



- Update propagation at end of transaction



57


## Eager / Update Everywhere with distributed locking

- ❖ Upon read: request local read lock and read locally and return value to user
- ❖ Upon write from client: request local write lock and write locally, multicast write request to other sites.
- ❖ Upon write from other site: request local write lock, write locally, and send ok back to user
- ❖ Upon receiving ok from all other sites, return ok to the user
- ❖ Upon commit request: run 2PC to ensure that all have really installed the changes.
- ❖ Upon abort: abort and inform other sites about abort
- ❖ Deadlocks might occur.

May 2008, UPM

58

## Eager / Update Everywhere



May 2008, UPM

59

## Properties

- ❑ Replication transparency achieved
- ❑ serializability and strong data consistency
- ❑ Concurrency control and coordination more complicated than with primary copy
- ❑ Better load balancing and distribution than Primary copy
- ❑ Reduce message overhead by sending write set at end of the transaction as part of 2PC
  - ❖ more complicated: how is this coordinated with locking?
- ❑ Basically no database system supports eager update anywhere
- ❑ but many middleware based solutions!

May 2008, UPM

60


## Lazy / Primary Copy

- Primary Copy:
  - ❖ Upon read: read locally and return to user
  - ❖ Upon write: write locally and return to user
  - ❖ Upon commit/abort: terminate locally
  - ❖ Sometime after commit: multicast changed objects in a single message to other sites (in FIFO)
- Secondary copy:
  - ❖ Upon read: read locally
  - ❖ Upon message from primary copy: install all changes (FIFO)
  - ❖ Upon write from client: refuse (writing clients must submit to primary copy)
  - ❖ Upon commit/abort request (only for read-only txn): local commit
  - ❖ Note: transaction might write local data that is NOT replicated or for which the site is the primary copy
- Only local deadlocks
- Note: existing systems allow different objects to have different primary copies
  - ❖ A transaction that wants to write X (primary copy is site S1) and Y (primary copy on site S2) is usually disallowed

May 2008, UPM

61

## Lazy Primary Copy



May 2008, UPM

62

## Discussion

- ❑ Lazy replication has no server/agreement coordination within response time
  - ❖ faster for clients close to primary copy
  - ❖ transactions might be lost in case of primary crash
- ❑ serializability and weak data consistency
  - ❖ simple to achieve
  - ❖ secondaries only need to apply updates in FIFO order
  - ❖ Data at secondaries might be stale
- ❑ Multiple Primary possible
  - ❖ more locality
- ❑ Optimizations for update propagation possible

May 2008, UPM

63


## Lazy / Update Everywhere

- ❑ Any site
  - ❖ Upon read: read locally and return to user
  - ❖ Upon write: write locally and return to user
  - ❖ Upon commit/abort: terminate locally
  - ❖ Sometime after commit: multicast changed objects in a single message to other sites (in FIFO)
  - ❖ Upon message from other site:
    - Detect conflicts
    - Resolve conflicts
      - for numeric types (or types with comparison):
        - » average:
        - » minimum/maximum:
        - » additive:
      - discard new value, overwrite old value
      - Site priority
      - value priority
      - earliest/latest timestamp
    - Install changes

May 2008, UPM

64

## Lazy Update Everywhere



## Discussion

- ❖ Weak data consistency and no global serializability
  - Data can be temporarily inconsistent
  - Reconciliation necessary
- ❖ No communication within transaction response time for all transactions
- ❖ Possible transaction loss in case of crash
- ❖ Conflict detection and resolution complex

## Primary vs. Update everywhere

- ❖ Simpler concurrency control
- ❖ Less coordination necessary / optimizations are easier
- ❖ Inflexible model:
  - Clients must know primary to submit update transactions
  - Have to distinguish update from read-only transactions
- ❖ Primary is single point of failure and potential bottleneck
- ❖ Multiple primaries
  - some type of transaction disallowed
  - More locality than one primary
  - Less bottleneck

May 2008, UPM

67

## Lazy vs. Eager

- ❖ Lazy primary copy: stale reads
- ❖ Lazy update everywhere: inconsistencies and reconciliation
- ❖ No communication within transaction response time
- ❖ Possible transaction loss in case of crash
- ❖ Optimizations for update propagation possible

May 2008, UPM

68

## Eager Protocols and Failures


- ❑ So far: read-one-write-all protocols (ROWA)
- ❑ Site failures:
  - ❖ Read-one-write-all-AVAILABLE (ROWAA)
- ❑ Communication failures:
  - ❖ Combine ROWAA with quorums

May 2008, UPM

69

## Recent Replica Control Approaches

- ❑ so far: **Kernel-based** approach
- ❑ new: **Middleware-based** approach
  - ❖ Advantages
    - Modular
    - Do not need access to DB code
    - Reusability
  - ❖ Disadvantages
    - No access to concurrency control information in the kernel




May 2008, UPM

70

## Middleware Primary Copy

□ (e.g. Ganymed)




May 2008, UPM

71

## Adaptability across the entire cluster


- Transparent Failover
- Load-balancing
- Combination of both
- Data Management



May 2008, UPM

72


## Horizontal Replication



## Loose Coupling

- ❑ Each tier has its own replication algorithm
- ❑ Each tier not aware of replication of neighboring tiers
- ❑ Tier only needs to know behavior of tiers it directly calls (later tiers are hidden)


# Layered



# Limitations

- ❑ Called tier must be aware of replication of calling tier to some degree
- ❑ Exactly-once at called tier does not guarantee that exactly-once is possible at local tier

## Vertical Replication



May 2008, UPM

77

## Ideas and Challenges

### ❑ Idea

- ❖ Only the first tier runs replication algorithm
- ❖ Other tiers are used as block box
- ❖ Are not aware of any replication
- ❖ In case of failure, one vertical partition fails


### ❑ Challenges

- ❖ Load-balancing if load of individual tiers differs

May 2008, UPM

78

## Combination



May 2008, UPM

79

## Summary

- ❑ Replication crucial for
  - ❖ Fault-tolerance and scalability
- ❑ AS and DBS replication different requirements
- ❑ 3 protocol types needed
  - ❖ Execution and coordination during normal processing
  - ❖ Failover (termination)
  - ❖ Recovery

May 2008, UPM

80